

نماذج التقرير السنوي لمنجزات الوحدات للعام الجامعي ١٤٤٤ هـ

مرفق اهم صور الأنشطة المنجزة بالتقرير

المقر : وادى الدواسر

الكلية : العلوم الطبية التطبيقية

منسقة الوحدة: د/ عطيات محمد حسن سيد

الوحدة: التدريب الميداني والامتياز

المستفيدون	تاريخ التنفيذ	النشاط
طلاب الامتياز والخريجات	يوم الأربعاء الموافق ١٨/٢/١٤٤٤ هـ الساعة ١٢ ظهرا عبر برنامج الزووم	دورة تدريبية لطلاب الامتياز بالكلية بعنوان "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية تخصص - تمريض صحة الأطفال"»
طلاب الامتياز والخريجات	يوم الثلاثاء الموافق ١/٣/١٤٤٤ هـ الساعة ١٢:٣٠ ظهرا عبر برنامج الزووم	دورة تدريبية لطلاب الامتياز بالكلية بعنوان "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية تخصص - تمريض صحة البالغين وكبار السن"»
طلاب الامتياز والخريجات	يوم الخميس ١٠/٣/١٤٤٤ هـ الساعة ١٢:٣٠ ظهرا عبر برنامج الزووم	دورة تدريبية: "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية - تخصص تمريض صحة الأم وحديث الولادة"
طلاب الامتياز والخريجات	يوم الاثنين ٢١/٣/١٤٤٤ هـ الساعة ١٢:٣٠ ظهرا عبر برنامج الزووم	دورة تدريبية: "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية - تخصص تمريض صحة المسنين وتمريض الصحة النفسية"



صور الفعاليات

دورة تدريبية لطلاب الامتياز بالكلية بعنوان "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية تخصص - تمرريض صحة الأطفال" «

DR. ATYAT MOHAMMED HASSAN 1

PEDIATRIC QUESTIONS CONGENITAL ANOMALIES & SURGICAL CONDITION PART

63) An 8-month-old infant is admitted with a diagnosis of intussusceptions. Which of the following nursing diagnosis would be the priority? ↑

A. acute pain related to bowel invagination
B. risk for infection related to skin impairment
C. impair parenting related to knowledge deficit
D. risk for aspiration related to impaired swallowing

2) A nurse is taking a history from the infant's parents who have a suspected diagnosis of intussusception. ←

Which of the following assessment question would be most helpful?

o A. Do you breastfeed your child?
o B. What does your child's stool look like?
o C. How often is your child urinating?
o D. What is the color of your child's urine?

دعوة

تحت رعاية وكيل الكلية للشؤون التعليمية والأكاديمية
سعادة الدكتور/ علي بن عبدالله آل بزيغ
تقيم كلية العلوم الطبية التطبيقية بوادي الدواسر
دورة تدريبية حول إختبارات الهيئة السعودية للتخصصات الصحية
الإخاصة بتمرريض صحة الأطفال
مقدم الدورة: د. عطيات محمد حسن
أستاذ مشارك - تمرريض صحة الطفل

د. عطيات محمد حسن
مشرفة وحدة التدريب الميداني والامتياز

الأربعاء ١٨ / ٢ / ١٤٤٤ هـ ١٢ ظهراً على الزوم

Incidence:

- Intussusceptions is one of the most frequent causes of intestinal obstruction in children between the ages of 3-5 years.
- The male to female incidence is 2:1.
- The peak incidence is in summer due to increased gastroenteritis.
- This may explain the frequent occurrence of intussusceptions at the age of 3-12 months (age of weaning).

Symptoms and signs:

Symptoms:

- The infant awakens from sleep by severe abdominal colic, screams and draws his knees up into the abdomen. These attacks alternate with intervals of apparent well-being during which the infant asks for feeding.
- With each attack of pain there is pallor, apathy and lethargy.
- Vomiting follows the attacks of colic in 85% of cases.
- The infant passes mucous and blood per rectum (red currant jelly stool).

Signs:

- Emptiness in the right iliac fossa (Signe de Dance).
- A sausage shaped mass may be felt.
- Distention is usually absent in early cases. If it occurs it denotes possible perforation or gangrene.
- Digital rectal examination reveals bloody mucous in 60% of cases.

Treatment of infantile iliocecal intussusceptions:

- Resuscitation of the I.V. infusion of dextrose and saline.
- Antibiotics are prescribed.
- A nasogastric tube is inserted.

PEDIATRIC BY DR. ATYAT MOHAMMED HASSAN

Congenital Hypertrophic Pyloric Stenosis

✓ It is hypertrophy of the circular muscle surrounding the pylorus that leads to narrowing of the pyloric canal and obstruction of the gastric outlet; makes it difficult for the stomach to empty.

Symptoms and signs:

- ✓ -It occurs mainly male infants.
- ✓ -Projectile and forceful vomiting usually start in 2nd to 3rd week.
- ✓ -Hungry and irritable.
- ✓ -Constipation.
- ✓ -Dehydration.
- ✓ -Malnutrition.
- ✓ -Loss of skin turgor.

Diagnosis:

- ✓ -Palpable olive like mass in right upper quadrant.
- ✓ -Visible, peristaltic waves usually from the left to right.

PEDIATRIC BY DR. ATYAT MOHAMMED HASSAN

Clinical manifestations: Cyanosis starts after birth, failure to thrive, exertional dyspnea and easy fatigability.

Investigation: X-ray, E.C.G, catheterization and Echocardiogram

Treatment: Total correction at age of 6 years for cyanotic spells, sedation, oxygen therapy, sodium bicarbonate combat acidosis, knee chest position.

Children with Tetralogy of Fallot exhibit bluish skin during episodes of crying or feeding.

"Tot spell"

Squatting position

PEDIATRIC BY DR. ATYAT MOHAMMED HASSAN

DR. ATYAT MOHAMMED HASSAN 6

178-23- A 3-week-old newborn is diagnosed with Hirschsprung disease. ←

1-Which of the following preoperative care should be included in the plan of care? ←

o A. Restricting oral intake to clear fluids
o B. Administering a tap water enema
o C. Inserting a gastrostomy tube
o D. Using povidone-iodine to prepare the perineum

3-43- A 24 hour after delivery, the nurses noted that the newborn failed to pass meconium. ←

This indicates which of the following condition?

o A. GERD
o B. Pyloric stenosis
o C. Failure to thrive
o D. Hirschsprung disease ←

دورة تدريبية لطلاب الامتياز بالكلية بعنوان "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية تخصص - تمرير صحة البالغين وكبار السن"»

التدريب على إختبارات الهيئة السعودية للتخصصات الصحية (التمرير الباطني والجراحي)

د. سحر علي عبدالمحسن
أستاذ مشارك التمريض الباطني والجراحي



دعوة

تحت رعاية وكيل الكلية للشؤون التعليمية والأكاديمية
سعادة الدكتور/ علي بن عبدالله آل بزيغ
تقيم كلية العلوم الطبية التطبيقية بوادي الدواسر
دورة تدريبية
«التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية
تخصص - تمرير صحة البالغين وكبار السن»
مقدم الدورة: د. سحر علي عبدالمحسن
أستاذ مشارك - تمرير صحة البالغين وكبار السن

د. عطيات محمد حسن
مشرقة وحدة التدريب الميداني والامتياز

الثلاثاء ١٤٤٤ / ٣ / ١ هـ ١٢:٣٠ ظهراً على الزوم

Which of the following has most likely occurred when there is continuous bubbling in the water seal chamber of the closed chest drainage system?

- a) The connection has been taped too tightly
- b) The connection tubes are kinked
- c) Lung expansion
- d) Air leak in the system

A patient was brought to the emergency room after she fell down the stairs. Which of the following is the best indicator for increased intracranial pressure and spinal injury?

- a) Inability to move extremities
- b) Decreased respiratory rate
- c) Increase in pulse and blood pressure
- d) Decrease level of consciousness

دورة تدريبية: "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية - تخصص تمريض صحة الأم وحديث الولادة"

VISION رؤية 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

جامعة الأمير سطام بن عبدالعزيز
Prince Sattam Bin A

كلية العلوم الطبية التطبيقية بوادي الدواسر
وحدة التدريب الميداني والامتياز وخدمة المجتمع
شطر الطالبات

دعوة

تحت رعاية وكيل الكلية للشؤون التعليمية والأكاديمية

سعادة الدكتور: علي بن عبد الله آل بزيع

تقيم كلية العلوم الطبية التطبيقية بوادي الدواسر

دورة تدريبية: "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية - تخصص
تمريض صحة الأم وحديث الولادة"

أستاذ مساعد تمريض صحة الأم
وحديث الولادة

د. مرفت لبيب الكاشف



د. عطيات محمد حسن

مشرفة وحدة التدريب الميداني
والامتياز



١٢:٣٠ ظهرا



اليوم الخميس
١٤٤٤/٣/١٠ هـ

دورة تدريبية: "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية - تخصص تمريض صحة المسنين وتمريض الصحة النفسية"



A 62-year-old woman admitted to the emergency department for the fourth time this year, each time the patient comes with severe injuries and bruises in the body. What is your responsibility as a nurse to prevent such incident to happen again?
A. Reports the assault to the local police and write a report.
B. Provides information about safe shelter and support.
C. Instructs the woman to move away from her home.
D. Discharge the patient to a safe shelter
Answer: A

An 82-year-old woman with Alzheimer's disease had moved into a long-term care facility two weeks previously. Since then, the staff has found her wandering in the hallways in middle of the night. When approached, she is confused and frustrated, often forgetting where she is. Which intervention would most likely decrease the patient's confusion?
A. Administer a sleeping sedative.
B. Provide full-time nursing care.
C. Place a nightlight in the room

3

VISION 2030
الهيئة العامة للتخصصات الصحية
Kingdom of Saudi Arabia

جامعة الأمير سطام بن عبدالعزيز
Prince Sattam Bin Abdulaziz University

دعوة

كلية العلوم الطبية التطبيقية بوادي الدواسر
وحدة التدريب المهدي والامتياز وخدمة المجتمع
شطر الطالبات

تحت رعاية وكيل الكلية للشؤون التعليمية والأكاديمية سعادة الدكتور علي بن عبدالله آل بزيق
تقيم كلية العلوم الطبية التطبيقية بوادي الدواسر

دورة تدريبية: "التدريب على نماذج إختبارات الهيئة السعودية للتخصصات الصحية - تخصص تمريض صحة المسنين وتمريض الصحة النفسية"

أستاذ مشارك تمريض صحة المسنين

د. ماجدة محمود الجميل



د. عطيات محمد حسن



مشرفة وحدة التدريب الميداني والامتياز



١٢:٣٠ ظهراً



اليوم الاثنين ١٤٤٤/٣/٢١هـ

& Psychiatric Questions

Doctor writes new order restrain (PRN) for Psychiatric patient that he is overly aggressive. Which of the following indicate that the nurse should do??
A. Call doctor while patient aggressive to do that by himself.
B. Apply the order one time only or if needed.
C. Close patient room and do not apply restrain.
D. Express that is not acceptable and complains about your supervisor.

Answer: B
The PRN prescription stands for 'pro re nata,' which means that the administration of medication is not scheduled.

Major depression activities
A. Watch a movie with other patients.
B. Plan today's activities with the patient
Answer: B

There is someone his father is dead. Then he turned his sadness and anger by learning martial arts. What is the defense mechanism that he used?
A. Displacement
B. Sublimation
C. Projection
D. Denial
Answer: B

1

Therapeutic communication is used by the nurse to create a beneficial outcome in the delivery of quality nursing care. Which of the following statement best describe the term "therapeutic communication"?
A. interactive process of socialization.
B. Assessment component of nursing process
C. Communication with patient through words and language
D. Process to encourage the expression of feelings and needs.

Answer: D

Adult -15- years old hospitalized to relieve anxiety. What should the nurse do?
A. Increase numbers of staff during nursing care
B. Limited numbers of staff during nursing care
C. Allow parents visit him along daytime
Answer: B

A nurse is caring for a 72-year-old man patient, is unsteady. The patient requests the nurse to help, nurse asked the patient to wait few minutes' device to transfer him. Which of the following transfer devices is the nurse to use?
A. Belt
B. Board
C. Handle
D. Mechanical lift
Answer: A

2

A 65-year-old woman visited the gynecological outpatient history reveals that she had 3 pregnancies, one abortion gestational age, had 2 normal deliveries. She smokes 20 Her complaint is that she wets herself when she coughs embarrassing for her? Which of the following can be considered as risk factors pelvic floor muscles?
A. Chronic coughing
B. Diabetes mellitus
C. Excessive spot
D. Sedentary lifestyle
Answer: D

An elderly patient who has an aortic aneurysm Intensive Care Unit to a Medical Surgical Unit on day. While assessing the client, a nurse notes extremity and is unable to palpate the pedal pulse. Which intervention should the nurse implement?
A. Wrap the lower extremities with warm.
B. Use a Doppler ultrasound to reassess the pulse.
C. Elevate the extremities above heart level.
D. Place a bed cradle over the bed to levitate.



Answer: B

16